



# Eco Decking Tiles

MODULAR DECKING SYSTEM



a beautiful  
**award winning**  
hardwood deck  
in minutes

DeckTileCo.



# Introducing **Eco Decking Tiles**™

Eco Decking Tiles, a high quality, multi-award winning product designed to cover any exterior hard surface, quickly and easily transforming it into a hardwood deck. The unique modular tiles couldn't be easier to use. Each one is backed with a weatherproof polypropylene base that simply clicks together, in fact a floor can be laid by just one person in a matter of minutes.

Eco Decking Tiles offer a quick, stylish, high quality solution to a hitherto time consuming operation. They also offer considerable savings in both time and costs when compared with the installation of conventional decking.


Eco Decking Tiles received a '**Best New Garden Product**' award at the Earls Court DIY & Garden Show 2006 and '**Best New Landscaping Product**' at GLEE 2006.

Benefits include:

- No fixings, No adhesives; No mess
- Naturally splinter proof
- Naturally Slip resistant
- Strong, durable Ipe timber
- Weatherproof polypropylene base
- Ecologically certified timber
- Easy fit, installs in minutes
- 10 Year Manufacturer's Warranty
- Rodent proof deck



# More uses than conventional decking



Perfect for patios, walkways, decking refurbishments; hot tub surrounds; porch and entrance ways. Ideal for use in situations where conventional decking may not be suitable such as balconies and roof terraces.

Eco Decking Tiles have an installed height of just 3cm; this means they can be installed where there is very little clearance between door openings and the existing patio/surface; where to install conventional decking would require the removal or lowering of this surface.

## Care & Maintenance

left untreated the timber will slowly fade to a graceful silver grey colour and hairline cracks may appear near the endgrain -this will in no way affect the longevity or structural integrity of the timber.

Should you wish to maintain the new look of the timber, it should be treated with an oil based preservative, preferably one with an effective UV filter such as TimberGuard. Care should always be taken to ensure whatever treatments are applied do not adversely react with any waterproof membranes that may be in situ.



# Ipe hardwood

Ipe pronounced EE-pay is a large tropical hardwood tree that grows abundantly throughout tropical areas in South America. Ipe wood is prized for its durability, strength and its natural resistance to decay. Ipe's remarkable properties have already made it the number one choice for premium commercial and residential decking throughout the USA.

To give an indication of Ipe's remarkable strength and hardness, if you were to compare it with Teak for instance it is approximately 368% harder and some 40% heavier. It is the timber used on the famous Atlantic City Boardwalk.

Another major benefit of ipe timber is its natural resistance to the growth of moulds, lichens and mosses -which make other timber exceedingly slippery when wet.

Ipe is also naturally resistant to splinters so children and bear feet are not an issue.



# Keeping it **green**

We take our responsibility to the environment very seriously; for this reason all timber used in the production of our flooring system comes from certified resources, the entire manufacturing process being controlled by the Bolivian Government's Sustainable Forestry Development Programme.

The timber used in the manufacturing of our products is an extremely important crop for the local economy and a valuable source of income for the local population.

## **Environmentally friendly**

This beautiful, densely grained durable timber is treated naturally, without the use of harmful chemicals or impregnating agents.

The environmentally friendly tiles are treated simply with an oil finish, that provides UV protection.

SUSTAINABILITY CERTIFIED BY:



# DIY - instant decking

Eco Decking Tiles come in three tile designs and edge detail tiles so you can create custom patterns, which can be changed at any time, or even take them with you when you move home.



CLASSIC: 305mm x 305mm



DOUBLE CLASSIC: 610mm x 305mm



ARIZONA: 305mm x 305mm



CORNER REDUCERS  
(edging detail)

STRAIGHT REDUCERS (edging detail)



Installation couldn't be more simple. The tiles are laid by aligning the interlocking tabs, just press, click and you're done. You really can receive, install and enjoy your new hardwood deck all on the same day.

Should it be necessary to cut around posts, corners etc; this is easily achieved with a handsaw or jigsaw cutting through the slats and the base simultaneously. Alternatively should you wish to avoid cutting the tiles to fit within a particular space, simply lay as many whole tiles as possible and fill the remaining gap with decorative pebbles.



## Eco Decking Tiles

Modular Decking System



**The Deck Tile Co. Ltd**  
PO BOX 3576, Wokingham, RG40 9GR  
tel: 0845 2700 696 email: info@thedecktileco.co.uk  
[www.thedecktileco.co.uk](http://www.thedecktileco.co.uk)